

PerfectSeal
派菲特

PerfectSeal
派菲特



浙江派菲特新材料 科技有限公司

ZHEJIANG PERFECTSEAL NEW MATERIAL
TECHNOLOGY CO., LTD.

地址: 浙江省宁波市高新区木槿路96号5#厂房 10号门 A2-1
Address: A2-1 OF #5 PLANT, NO.96 MUJIN ROAD,
NINGBO HIGH-TECH ZONE, NINGBO, 315000, CHINA
电话(Tel): +86-574-8756 4800
传真(Fax): +86-0574-8756 4717
邮箱(Email): sales@perfectseal.com
网址(Web): www.perfectseal.com www.okehealthcare.com

bsi.
ISO 13485:2016

科技让生活更健康
Technology Protects Health

公司介绍

Company Profile

浙江派菲特新材料科技有限公司是一家集研发、生产、销售和服务为一体的科技型企业。主要专注于丙烯酸类和聚丙烯类医用高分子材料的研发和生产，主要的产品有医疗口罩、医用粘合剂、聚丙烯熔喷法非织造布（熔喷布）、个人防护口罩、工业防护产品以及其他医疗器械类产品。

派菲特通过了最严格的英国标准协会医疗器械质量管理体系BSI 13485，公司拥有标准的GMP万级净化厂房，严格按照医疗器械生产质量管理规范进行生产和管理，对每一个环节都做到有效监测和控制。公司不仅拥有先进的生产线和一整套完整是检测设备，而且建有高标准的微生物和理化实验室。我们还不断致力于新产品和工艺的开发，并且与浙江大学和东华大学建有产学研合作基地。

公司坚持“质量至上、诚挚服务、关爱健康”的理念，秉持科技让生活更美好的愿景，长期致力于人类健康事业，为此不断开拓创新，孜孜不倦！

PERFECTSEAL Corp. is a high-tech innovation enterprise integrating R&D, production, sales and service. PERFECTSEA is mainly focus on medical high polymer materials, medical adhesive, medical masks and protective marks, melt-blown nonwoven fabric, etc.

PERFECTSEAL Corp. has passed the most strictly BSI 13485 medical device quality management system, we has a standard high level purification GMP plant, and carries out production and management in strict accordance with the production quality management specifications of medical devices, effective monitoring and quality control of each process.

We has an advanced production line and a complete set of testing equipment, included with a high standard microbiological and physical and chemical laboratory. We have our own R&D team, and we also have long term cooperation with Zhejiang University and Shanghai Fudan University.

PERFECTSEAL Corp. adhering to the concept of "quality first, sincere service and care for health", insist on the vision of science and technology for a better life.

Factory Environment 工厂概览



Inspection Equipment 检验设备



Qualification Certificate 资质证书



一次性口罩检测报告
Disposable Mask Test Report

KN95检测报告
KN95 Test Report

自检项目
Test Item

熔喷布SGS测试报告
MB Fabric SGS Test Report



营业执照
Business License

ISO13485:2016证书
ISO13485:2016 Certificate

CE证书
CE Certificate

对外贸易备案表
Foreign Trade Record Form

第二类医疗器械经营备案表
Medical Device Business Record form



浙江派菲特新材料科技有限公司是一家专注于医疗高分子材料的研发型生产企业，公司目前重点生产的熔喷布材料和口罩类防护产品，都是在具有洁净等级的净化车间生产完成。我们从原材料的筛选和检测，到生产过程的控制，工艺设备的管理，到最终产品的质检以及最后的包装运输，都严格按照生产质量管理规范进行，保证送至客户手上的熔喷布和口罩产品，符合最终客户的严格要求。我们始终坚持以客户和社会创造价值的理念，做好每一个产品。

Perfectseal Corp. is a high-tech innovation enterprise focusing on medical high polymer materials. At present, our company mainly production is melt-blown nonwoven fabric materials and mask protection products, which are all produced in the GMP plant with high level purification. From the testing of raw materials, to the control of production process, the management of process equipment, to the quality inspection of final products and the final packaging and transportation, we strictly follow the production ISO 13483 quality management specifications to ensure that the melt blown fabric and mask products delivered to customers meet the strict requirements of the final customers. We always adhere to the concept of creating value for customers and society, and do a good job in every product.



Description 熔喷布产品说明



Feature 特点

- 1、厚薄均匀 (25g±2g.)
 - 2、无晶点, 无毛边, 无漏孔
 - 3、高过滤效率. 32/min PFE≥99%, BFE≥99%; 85L/min, PFE≥98%
 - 4、低气阻 (8L/min 静压差 ≤30Pa ; 85L/min ≤ 80-100Pa)
 - 5、卫生级原材料, 无气味, 安全环保 (SGS原材料检测证书)
 - 6、长电荷贮存性, 耐高温高湿极限测试 (70°C 168h 7天, 85%湿度48h, PFE偏差 <2%)
 - 7、高柔韧性, 口罩机上无断卷和裂边 (横向>10N, 纵向>15N, 延伸率>20%)
 - 8、收卷致密性良好, 上机无晃动, 无经常停机现象, 保证口罩机流水线高速高效生产
 - 9、可以定做20g, 30g, 40g, 50g等特殊规格, 以及特殊幅宽尺寸.
1. Melt-Brown thickness uniformity. 25g±2g.
 2. No surface crystal point, no burr, no leak hole.
 3. High Particles Filtration Efficiency. (32/min PFE≥99%, BFE≥99%; 85L/min, PFE≥98%)
 4. Low air resistant. (8L/min, Air resistant≤30Pa ; 85L/min, Air resistant≤ 80-100Pa)
 5. Medical raw materials, odorlessness, healthy-safe (SGS Certificate)
 6. Stable filtration efficiency. High temperature and high humidity resistant. (70 °C 168hours, 85% humidity 48hours, PFE reduced <2%)
 7. High flexible. Mask producing machine working stable. (Horizontal strength>10N, Vertical strength >15N, Elongation >20%)
 8. Highly reeling density. Fast running speed and No any shaking on the mask machine.
 9. 20g, 30g, 40g, 50g and different roll width customized grade is welcome.

Melt Blown Fabric 熔喷布规格型号

Factory Environment 工厂概览




类别 Product Category	型号 Item No.	核心指标 Core Index	产品规格 Product Specifications	包装规格 Packing Specification
------------------------	----------------	--------------------	--------------------------------	-------------------------------

医用口罩/儿童 口罩用熔喷布 Medical Mask/ Children Mask Application	PMF-99	#PFE≥98%, 流量32L/min. #BFE≥99%, 气阻≤35Pa. 静压差≤40Pa	克重 25g/㎡ (±2g) * 宽幅 175mm (±2mm)	宽幅: 175mm 6-6.5kgs/卷, 1400m±5m, 4卷/箱, 净重: 24kgs-26kgs, 毛重: 26kgs-28kgs, 纸箱尺寸: 55*55*75cm.
防护口罩用熔喷布 Disposable Mask Application	PMF-90	#PFE≥90%, 流量85L/min. #BFE≥95%, 气阻≤100Pa.	克重25g/㎡ (±2g) * 宽幅175mm (±2mm)	20GP: 28立方, 124箱, 净重: 2976kgs-3224kgs, 毛重: 3224kgs-3472kgs.
	PMF-95	#PFE≥95%, 流量85L/min. #BFE≥99%. 气阻≤100Pa.	克重25g/㎡ (±2g) * 宽幅175mm (±2mm)	40GP: 54立方, 238箱, 净重: 5712kgs-6188kgs, 毛重: 6188kgs-6664kgs.
N95/KN95系列 熔喷布 N95/KN95 Mask Application	PMV-90	#PFE≥90%, 流量85L/min #BFE≥95%. 气阻≤100Pa	克重25g/㎡ (±2g) * 宽幅175mm (±2mm)	宽幅: 260mm 11-12kgs/卷, 1400m±5m, 2卷/箱, 净重: 22kgs-24kgs, 毛重: 24kgs-26kgs, 纸箱尺寸: 55*55*56cm.
	PMV-95	#PFE≥95%, 流量85L/min. #BFE≥99%. 气阻≤100Pa	克重25g/㎡ (±2g) * 宽幅260mm (±2mm)	
P95/KP95系列 熔喷布(油性) FFP2/KF94系列 熔喷布(油盐双性) P95/KP95/FFP2/ KF94 Mask Application	PMP-90	#PFE≥90%, 流量95L/min 单层: 油性过滤率DOP/石蜡油≥ 90%.气阻≤100Pa 双层: PFE≥96%, 油性过滤率DOP/ 石蜡油≥96%	克重25g/㎡ (±2g) * 宽幅175mm (±2mm)	20GP: 28立方, 165箱, 净重: 3630kgs-3960kgs, 毛重: 3960kgs-4290kgs. 40GP: 54立方, 319箱, 净重: 7018kgs-7656kgs, 毛重: 7656kgs-8294kgs.
	PMP-95	#PFE≥94%, 流量95L/min. 单层: 油性过滤率DOP/石蜡油≥ 94%. 气阻≤100Pa 双层: PFE≥99%, 油性过滤率DOP/ 石蜡油≥99%	克重25g/㎡ (±2g) * 宽幅260mm (±2mm)	

Size diagram

熔喷布产品示意图

SGS



熔喷布包装展示
Individual product size

产品堆积尺寸
Product packing size

Product demonstration 熔喷布包装展示



PerfectSeal 派菲特

科技让生活更健康
Technology Protects Health



一次性防护口罩
Disposable Face Mask



Features 特点

1. 三层防护。
Three layers protection.
2. 透气性强
Easy breathability.
3. 可调节鼻梁，方便使用。
Adjustable nose bridge for sure it.
4. 过滤高达95%的灰尘、细菌和花粉。
Helps filter out up to 95% dust, bacteria & pollen.


型号 Item No.	颜色 Color	材料 Material	装箱 Qty	外箱尺寸 CTN	起订量 MOQ
PF-1806	蓝色 Blue	无纺布和熔喷布 up/down non-woven fabric 25g/m ² middle melt blown fabric 25g/m ²	50只/盒, 40盒/箱 50pcs/box, 40boxes/ctn	415x425x450 mm	10000pcs/只
PF-1807	蓝色 Blue	无纺布和熔喷布 up/down non-woven fabric 25g/m ² middle melt blown fabric 25g/m ²	50只/盒, 40盒/箱 50pcs/box, 40boxes/ctn	415x425x450 mm	10000pcs/只
PF-1808	白色/蓝色 White/Blue	无纺布和熔喷布 up/down non-woven fabric 25g/m ² middle melt blown fabric 25g/m ²	10只/盒, 12盒/箱 10pcs/box, 12boxes/ctn	390x215x245 mm	10000pcs/只



N95系列口罩 N95 SERIES MASKS

多层防护
还您绿色呼吸

五层过滤 多重防护 5-layer protective filtering



Features 特点

1. 过滤沙尘、灰尘、飞沫。
Filter sand, dust, and droplets.
2. 采用高效静电吸附棉滤材,防潮透气保温,辅助过滤PM10颗粒物。
Adopt high-efficiency electrostatic adsorption cotton filter material, moisture-proof, breathable and heat-insulating, to assist in filtering PM10 particles.
3. 双引擎过滤层设计,过滤超细颗粒物PM2.5。
Twin-engine filter layer design, filtering ultrafine particulate matter PM2.5.
4. 排湿透气,柔软亲肤。
Moisture wicking, soft and skin-friendly.

隐形式可塑性鼻梁条

Adjustable invisible aluminum nose clip
内置设计,不外露不易割伤
调节与鼻部的密合性,穿戴更舒适
Built-in design, no leakage, no cuts, can be adjusted to provide a secure seal, offer better fit.

空气动力学呼吸阀

Aerodynamics Breather valve
按照空气动力学原理,限制人体呼出气体反复吸入,呼吸更顺畅
According to the aerodynamic principle, limit the human body out of the air repeatedly inhaled, easy to breath.

鼻翼夹海绵垫

Soft sponge nose pad
有效阻挡鼻翼两侧因呼吸产生的热量溢出,防止雾气产生
It can effectively prevent the heat escaping from both sides of the nose due to breathing, helps avoid moisture fogging inside the mask.

可伸缩拉绳设计

Soft sponge nose pad
手感光滑,不过敏,高织高弹面料,牢固耐用,绳索性强,适合不同脸型。
Telescopic drawstring design: Smooth, not allergic, high weave high elastic fabric, firm and durable, strong rope, suitable for different face types.

超声波焊接

Ultrasonic welding
无缝压边,口罩牢固不开口。
Seamless blanking.



PF-9508

可有效过滤0.075微米以上的非油性和油性颗粒物;
耳带折叠式;
包装:20个/盒,12盒/箱
Can effectively filter non-oily particles above 0.075 microns;
Earband folding
Packing: 20pcs/box, 12boxes/ctn



PF-9508C

可有效过滤0.075微米以上的非油性和油性颗粒物;活性炭层帮助去除有机蒸汽及异味;耳带折叠式;
包装:20个/盒,12盒/箱
Can effectively filter non-oily particles above 0.075 microns;
Activated carbon layer helps remove organic vapors and odors;
Earband folding
Package: 20pcs/box, 12boxes/ctn



PF-9509

带呼吸阀;可有效过滤0.075微米以上的非油性和油性颗粒物;耳带折叠式;
包装:20个/盒,8盒/箱,独立包装
With breathing valve;
Can effectively filter non-oily particles above 0.075 microns;
Earband folding
Packing: 20pcs/box, 8boxes/ctn, single package



PF-9509C

带呼吸阀;可有效过滤0.075微米以上的非油性和油性颗粒物;活性炭层帮助去除有机蒸汽及异味;耳带折叠式;
包装:20个/盒,8盒/箱,独立包装
With breathing valve; Can effectively filter non-oily particles above 0.075 microns;
Activated carbon layer helps remove organic vapors and odors;
Earband folding
Package: 25pcs/box, 8boxes/ctn, single package



PF-9518

可有效过滤0.075微米以上的非油性颗粒物;
头带杯状式;
包装:20个/盒,8盒/箱
Can effectively filter non-oily particles above 0.075 microns;
Headband cup
Packing: 20pcs/box, 8boxes/ctn



PF-9518C

可有效过滤0.075微米以上的非油性颗粒物;活性炭层帮助去除有机蒸汽及异味;头带杯状式
包装:20个/盒,8盒/箱
Can effectively filter non-oily particles above 0.075 microns;
Activated carbon layer helps remove organic vapors and odors;
Headband cup
Packing: 30pcs/box, 8boxes/ctn



PF-9519


带呼吸阀;可有效过滤0.075微米以上的非油性颗粒物;
头带杯状式;
包装:5个/盒,8盒/箱
With breathing valve; Can effectively filter non-oily particles above 0.075 microns;
Headband cup
Packing: 5pcs/box, 8boxes/ctn



PF-9519E

带呼吸阀;可有效过滤0.075微米以上的非油性颗粒物;
头带杯状式;
包装:5个/盒,8盒/箱
With breathing valve; Can effectively filter non-oily particles above 0.075 microns;
Headband cup
Packing: 5pcs/box, 8boxes/ctn

起订量MOQ 5000pcs/只



一次性防护手套 Disposable Gloves



Features 特点

1. 超强弹力与超软手感。
Highly elastic and super soft.
2. 唇口设计易于穿戴。
Rolled rim to facilitate easy donning.
3. 强度高，耐用。
Superior strength with better puncture resistance.
4. 可直接接触食品。
Safe direct access to food.

型号 Item No.	颜色 Color	材料 Material	装箱 Qty	外箱尺寸 CTN	起订量 MOQ
PGN-001	白色/蓝色/黑色 White/Blue/Black	丁腈 Nitrile	100只/盒, 10盒/箱 100pcs/case, 10cases/ctn	343X262X260 mm	10000pcs/只
PGP-001	透明 Transparent	PVC	100只/盒, 10盒/箱 100pcs/case, 10cases/ctn	343X262X260 mm	10000pcs/只



消毒免洗洗手液 Hand Sanitizer Gel



Features 特点

1. 能有效快速杀灭细菌、真菌、球菌、病毒等。
It's effectively and quickly kill germs, fungi, cocci, and viruses, etc.
2. 独特的配方（含75%的酒精）可为您提供很好的保护。
Excellent protection with a unique formula including 75% alcohol to protect you.
3. 温和无刺激，不伤肤。
Gentle and non-irritating, does not hurt the skin.
4. 适用于家庭、办公室、诊所、学校或任何你需要快速清洁双手的地方。
Suitable for homes, offices, surgeries and schools or anywhere else you need to quickly clean your hands.

型号 Item No.	颜色 Color	材料 Material	装箱 Qty	外箱尺寸 CTN	起订量 MOQ
PHS-001	透明 Transparent	二氧化氯, 苯扎氯铵 Chlorine dioxide, Benzalkonium chloride	100只/盒, 10盒/箱 100pcs/case, 10cases/ctn	460x430x310 cm	1000pcs/瓶